



**CESFAM Villa Alegre - Pedro Pastor Araya, Temuco**


---

**Catálogos - Acústico**




Febrero 2022

Catálogos


A continuación se presentan catálogos o fichas técnicas de los elementos acústicos del proyecto.




FIRE RATING

 UL listed  
 ITS Warnock Hersey listed  
 10C Classified

SMOKE PERFORMANCE


 The rubber seal in this gasket provides protection from smoke infiltration in accordance with provisions of NFPA 101 Life Safety Code and NFPA 80 Standard for Fire Doors and Other Opening Protectives




Legend:  
A = Aluminum


ANSI/BHMA


#350A      R3B324


	415 Concord Avenue      tel: 718.585.3230 Bronx, NY 10455      fax: 718.292.2243 email: zero@zerointernational.com web site: www.zerointernational.com		Part No: 350	
	Notes:		Part Description: Automatic Door Bottom - Mortised / Regular	
Provided By:	Customer Name:	Job No:	Date:	





FIRE AND SMOKE RATINGS


 UL listed

 ITS Warnock Hersey listed

 10C Classified

 Category G listed up to 20 minutes

 Category H Classified under UL 1784, listed up to 180 minutes




#188S-Bk

#188S-Br

#188S-Gy

#188S-Wh

	415 Concord Avenue Bronx, NY 10455 email: zero@zerointernational.com web site: www.zerointernational.com	tel: 718.585.3230 fax: 718.292.2243		Part No: 188	
	Notes:  S-Bk = Silicone - Black S-Br = Silicone - Brown S-Gy = Silicone - Gray S-Wh = Silicone - White		Part Description:  Door Seal  - Adhesive		
Provided By:		Customer Name:		Job No:	Date:

Napoleon 3565 Of.202 | Las Condes | Santiago | Chile | +569 9 452 8048 | www.gonzalosepulveda.cl

3